## Fort Bend County Tabulation Bid 15-053

## **Term Contract for Purchase and Hauling of Earthen Type Road Materials**

**Term: April 1, 2015 through March 31, 2016** 

## Awarded Commissioners Court 3/10/15: Award to all bidders meeting specifications

## \*Amended 9.01.15

		*A	sphalt Stabil	lized Base, Tl	HD #292, Blac	ck Base with	out RAP, Pri	ce Per Ton			
Lawson 11936-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 11937-			Concrete		Materials	America		James	James		Asphalt
laydown								Const.	Const.		
Plant	56.00	*54.65							54.75		
Plant											
Plant											
Plant to Jobsite-1st	3.00	3.25							3.00		
mile											
Each add'l mile	0.20	0.20							0.20		
Laydown	No Bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul						800 tons			
		& 800 tons									

	*Asphalt Stabilized Base, THD #292, Black Base with RAP, Price Per Ton													
Lawson 11938-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
Lawson 11939-					Materials	America		James	James		Asphalt			
laydown								Const.	Const.					
Plant	51.00	*46.90							46.50					
Plant														
Plant														
Plant to Jobsite-1st	3.00	3.25							3.00					
mile														
Each add'l mile	0.20	0.20							0.20					
Laydown	No Bid	14.00		20.00				25.00						
Plant Location	Mo City	Rosenberg							Rosenberg					
Minimum		\$5.25 haul						800 tons						
		& 800 tons												

	Cement Stabilized Sand, THD & PT #400.5 Portland Cement, Type I, 2 sack minimum, Price Per Ton													
Lawson 11940-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant			18.00		23.35									
Plant to Jobsite-1st			2.50		3.08									
mile														
Each add'l mile			0.25		0.25									
Laydown														
Plant Location			Richmond		Richmond									
Per 1/2 sack			2.50		2.75									
cement														

Flexible Base, 1	must be free (	of foreign ma	terils (asphal	t, base, dirt,	wire or any u	ncommon ite	ems), Type ''A	\'', Grade ''1	'', Crushed C	oncrete, Pric	e Per Ton
Lawson 11941- material Lawson 11942-	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Martin Marietta	Silva Division of James	Tarmac Division of James	Vulcan Materials	Waller County Asphalt
laydown Plant	15.90	18.00	20.00					Const.	Const.		
Plant to Jobsite-1st mile	3.00	2.90	2.50								
Each add'l mile	0.20	0.20	0.25								
Laydown	No bid	No bid	No bid	20.00				25.00			
Plant Location	Mo City	Katy	Fresno	_							
Minimum		\$5.00 haul						500 tons			

Flexible Base, n	Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete with 3% cement												
					added, Price	Per Ton							
Lawson 11943-	American	Century	Cherry	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller		
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County		
					Materials	America		James	James		Asphalt		
								Const.	Const.				
Plant			29.00										
Plant to Jobsite-1st			2.50										
mile													
Each add'l mile			0.25										
Laydown			No bid										
Plant Location			Richmond										
Minimum													

	Gravel, River Unwashed, 5/8" Diameter Maximum, Price Per Yard													
Lawson 11944- material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Martin Marietta	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials	Waller County Asphalt			
Plant							18.00		0 0 === 0 0	14.50				
Plant to Jobsite-1st mile							3.30			3.00				
Each add'l mile							0.26			0.21				
Plant Location		-					Garwood			Wallis				

		*Hot Mi	ix Asphaltic (	Concrete Pav	ement, THD #	#340, Type D	without RA	P, Price Per T	Con		
Lawson 11945-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 11946-					Materials	America		James	James		Asphalt
laydown								Const.	Const.		
Plant	63.00	*66.75							60.00		
Plant											
Plant											
Plant to Jobsite-1st	3.00	3.25							3.00		
mile											
Each add'l mile	0.20	0.20							0.20		
Laydown	No bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul						800 tons			
		& 800 tons									

		*Hot N	Mix Asphaltic	c Concrete Pa	vement, THE	#340, Type	D with RAP,	Price Per To	n		
Lawson 11947- material Lawson 11948- laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Martin Marietta	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials	Waller County Asphalt
Plant Plant	57.50	*53.00							54.00		
Plant											
Plant to Jobsite-1st mile	3.00	3.25							3.00		
Each add'l mile	0.20	0.20							0.20		
Laydown	No bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul & 800 tons						800 tons			

	Hot Mix-Cold Laid, Asphaltic Concrete Pavement, Type D, THD #350, Price Per Ton													
Lawson 11949-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant									110.00					
Plant to Jobsite-1st									3.00					
mile														
Each add'l mile									0.15					
Laydown									0.20					
Plant Location									Rosenberg					
Minimum		·									`			

	Precoated Coverstone, PB-3, Price Per Ton													
Lawson 11950-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
Lawson 11951-					Materials	America		James	James		Asphalt			
laydown								Const.	Const.					
Plant									69.25	19.00				
Plant														
Plant to Jobsite-1st									3.00	0.16				
mile														
Each add'l mile									0.20	0.16				
Laydown								25.00						
Plant Location									Rosenberg	Dabney				
Minimum								500 tons						

			Pı	recoated Cov	erstone, PB-4	& PB-5, Pric	ce Per Ton				
Lawson 11952-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	<b>Asphalt</b>	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 11953-					Materials	America		James	James		Asphalt
laydown								Const.	Const.		
Plant									69.25	20.00	
Plant											
Plant to Jobsite-1st									3.00	0.16	
mile											
Each add'l mile									0.20	0.16	
Laydown								25.00			
Plant Location									Rosenberg	Dabney	
Minimum								500 tons			

	Recycled Asphalt, Screened, 3" Diameter Maximum, Price Per Ton													
Lawson 11954-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant			30.00											
Plant to Jobsite-1st			2.50											
mile														
Each add'l mile			0.25											
Laydown														
Plant Location			Fresno											
Minimum														

	Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton														
Lawson 11955-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller				
material	Materials	<b>Asphalt</b>	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County				
					Materials	America		James	James		Asphalt				
								Const.	Const.						
Delivered and						152.00									
applied															

			Pulveriz	ing Existing	Asphalt and/o	or Base Road	, Price Per I	Foot			
Lawson number	American	Century	Cherry	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
beside each item	Materials	<b>Asphalt</b>	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
					Materials	America		James	James		Asphalt
								Const.	Const.		
Up to 2" Depth				1.55				2.00			
11956											
Up to 4" Depth				2.55				3.00			
11957											
Up to 6" Depth				3.55				4.00			
11958											
Up to 8" Depth				4.55				5.00			
11959											
Up to 10" Depth				5.55				6.00			
11960											
Up to 12" Depth				6.55				7.00			
11961											
Up to 14" Depth				7.55				8.00			
11962											
Pulverizing				4.05				4.50			
existing 11963											
Transported by				50.00				100.00			
FBC <b>11964</b>											
Transported by				10.00				50.00			
Contractors											
vehicles 11965											

	Field Sand, Price Per Ton													
Lawson 11966-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant										7.00				
Plant to Jobsite-1st										No bid				
mile														
Each add'l mile										No bid				
Plant Location										Simonton				

	Fly Ash, Price Per Ton													
	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant														
Plant to Jobsite-1st														
mile														
Each add'l mile														
Plant Location														
Installation														
Minimum											_			

			Texas ASPP	M Grade IV	Cold Mix - Ro	ad repair m	aterial, Price	Per Ton			
Lawson 11967-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
					Materials	America		James	James		Asphalt
								Const.	Const.		
Plant											90.00
Delivered to jobsite											
Plant to Jobsite-1st mile											0.23
Each add'l mile											0.23
Laydown											
Plant Location											Hempstead

	Lime and Lime Slurry - #264, Price Per Ton													
Lawson 11968- material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Martin Marietta	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials	Waller County Asphalt			
31% Dry Solids						152.00								
35% Dry Solids						152.00								
46% Dry Solids						No Bid								

	Fly Ash Stabilized Road Mix 50/50, Price Per Ton														
	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller				
	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County				
					Materials	America		James	James		Asphalt				
								Const.	Const.						
Plant															
Plant to Jobsite-1st															
mile															
Each add'l mile															
Plant Location															
Installation															

		As	sphalt Aggre	gate, limeston	e Type D, 7/1	6" by #4 Gra	aduation, Pri	ce Per Ton			
Lawson 11969	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
					Materials	America		James	James		Asphalt
								Const.	Const.		
Plant							35.00			25.50	
Plant to Jobsite-1st							4.05			No Bid	
mile											
Each add'l mile							0.26			No Bid	
Plant Location							Rosenberg			Mykawa	
Comment							End Dump			D/F Blend	

	Type C, Hot Mix Asphaltic Concrete Pavement: THD #341, Class A Aggregates with PG7622 Oil, Price Per Ton													
Lawson 11970-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
Lawson 11971-					Materials	America		James	James		Asphalt			
laydown								Const.	Const.					
Plant	95.00	72.00							90.00					
Plant to Jobsite-1st	3.00	3.25							3.00					
mile														
Each add'l mile	0.20	0.20							0.20					
Laydown	No bid	14.00		20.00				25.00	Rosenberg					
Plant Location	Mo City	Rosenberg												
Minimum		\$5.25 haul						800 tons						
		& 800 tons												

	623 Traprock, Grade 3, THD #302, Price Per Ton													
Lawson 11972-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant										42.00				
Plant to Jobsite-1st										No bid				
mile														
Each add'l mile										No bid				
Laydown										No bid				
Plant Location										Stafford				
Minimum														

	623 Traprock, Grade 5, THD #302, Price Per Ton													
Lawson 11973-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant										42.00				
Plant to Jobsite-1st										No bid				
mile														
Each add'l mile										No bid				
Laydown										No bid				
Plant Location										Stafford				
Minimum														

	Bullrock, 3" x 5", Price Per Ton													
Lawson 11974-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
					Materials	America		James	James		Asphalt			
								Const.	Const.					
Plant		20.50	25.50				35.00			29.00				
Plant to Jobsite-1st		2.90	3.50				4.05			No bid				
mile														
Each add'l mile		0.20	0.25				0.26			No bid				
Laydown		No bid	No bid							No bid				
Plant Location		Katy	Fresno				Rosenberg			Mykawa				
Installation			No bid	20.00		-	No bid			No bid				
Minimum		\$5.00 haul												

Rip Rap, Grade 1, 12" to 18", Price Per Ton											
Lawson 11975-	American	Century	Cherry	Durwood	<b>Gulf Coast</b>	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Crushed	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
					Materials	America		James	James		Asphalt
								Const.	Const.		
Plant		26.00	29.75							43.00	
Plant to Jobsite-1st		2.90	2.50							No bid	
mile											
Each add'l mile		0.20	0.25							No bid	
Installation		No bid	No bid	20.00						No bid	
Plant Location		Katy	Holmes Rd							Mykawa	
Minimum		\$5.00 haul									
Comment										8" - 18'	