Fort Bend County Tabulation Bid 16-054

Term Contract for Purchase and Hauling of Earthen Type Road Materials

Term: April 1, 2016 through March 31, 2017

03/01/16: Award to all bidders meeting specifications

*Amended: 5.24.16

		Asph	alt Stabilize	d Base, THD #	292, Black Ba	se without RA	P, Price Per	Ton		
Lawson 12466-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 12467-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant	56.00	50.00		Disqualified	Disqualified	Disqualified		46.70		
Plant				from Entire	from Entire	from Entire				
Plant				Bid:	Bid:	Bid:				
Plant to Jobsite-	3.25	3.00		Failed to	Failed to	Failed to		3.00		
1st mile				provide Form	provide Form	provide Form				
Each add'l	0.20	0.20		1295	1295	1295		0.20		
Laydown	No Bid	18.00	20.00				15.00			
Plant Location	Mo City	Rosenberg						Rosenberg		
Minimum		\$5.25 haul					800 tons			
		& 800 tons								

		Asp	halt Stabiliz	ed Base, THD	#292, Black B	ase with RAP	, Price Per T	on		
Lawson 12468-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 12469-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant	51.00	45.50		Disqualified	Disqualified	Disqualified		40.45		
Plant				from Entire	from Entire	from Entire				
Plant				Bid:	Bid:	Bid:				
Plant to Jobsite-	3.25	3.00		Failed to	Failed to	Failed to		3.00		
1st mile				provide Form	provide Form	provide Form				
Each add'l	0.20	0.20		1295	1295	1295		0.20		
mile										
Laydown	No Bid	18.00	20.00				15.00			
Plant Location	Mo City	Rosenberg						Rosenberg		
Minimum		\$5.25 haul					800 tons			
		& 800 tons								

	Cement	t Stabilized S	Sand, THD	& PT #400.5 P	ortland Cemer	nt, Type I, 2 sa	ick minimun	n, Price Per	Гon	
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified				
Plant to Jobsite-				from Entire	from Entire	from Entire				
1st mile				Bid:	Bid:	Bid:				
Each add'l				Failed to	Failed to	Failed to				
mile				provide Form	provide Form	provide Form				
Laydown				1295	1295	1295				
Plant Location										
Per 1/2 sack										
cement										

Flexible Base, n	Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete, Price											
					Per Ton							
Lawson 12470-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller		
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County		
Lawson 12471-				Materials	America		James	James		Asphalt		
laydown							Const.	Const.				
Plant	17.50	18.00		Disqualified	Disqualified	Disqualified						
Plant to Jobsite-	3.25	2.90		from Entire	from Entire	from Entire						
1st mile				Bid:	Bid:	Bid:						
Each add'l	0.20	0.20		Failed to	Failed to	Failed to						
mile				provide Form	provide Form	provide Form						
Laydown	No bid	No bid	20.00	1295	1295	1295	25.00					
Plant Location	Mo City	Katy										
Minimum		\$5.00 haul					500 tons		-			

Flexible Base, m	Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete with 3%												
				cement a	added, Price P	er Ton							
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
				Materials	America		James	James		Asphalt			
							Const.	Const.					
Plant				Disqualified	Disqualified	Disqualified							
Plant to Jobsite-				from Entire	from Entire	from Entire							
1st mile				Bid:	Bid:	Bid:							
Each add'l				Failed to	Failed to	Failed to							
mile				provide Form	provide Form	provide Form							
Laydown				1295	1295	1295							
Plant Location													
Minimum													

		(Gravel, Rive	r Unwashed, 5	/8'' Diameter I	Maximum, Pri	ice Per Yard			
Lawson 12472-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified			18.50	
Plant to Jobsite-				from Entire	from Entire	from Entire			3.00	
1st mile				Bid:	Bid:	Bid:				
Each add'l				Failed to	Failed to	Failed to			0.21	
mile				provide Form	provide Form	provide Form				
Plant Location				1295	1295	1295			Simonton	

		Hot Mix As	sphaltic Con	crete Pavemen	nt, THD #340,	Type D withou	ut RAP, Prio	e Per Ton		
Lawson 12473- material	American Materials	Century Asphalt	Durwood Greene	Gulf Coast Stabilized	Lhoist North	Martin Marietta	Silva Division of	Tarmac Division of	Vulcan Materials	Waller County
Lawson 12474-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant	63.00	62.00		Disqualified	Disqualified	Disqualified		51.70		
Plant				from Entire	from Entire	from Entire				
Plant				Bid:	Bid:	Bid:				
Plant to Jobsite-	3.25	3.00		Failed to	Failed to	Failed to		3.00		
1st mile				provide Form	provide Form	provide Form				
Each add'l	0.20	0.20		1295	1295	1295		0.20		
mile										
Laydown	No bid	18.00	20.00				15.00			
Plant Location	Mo City	Rosenberg						Rosenberg		
Minimum		\$5.25 haul					800 tons			
		& 800 tons								

	Hot Mix Asphaltic Concrete Pavement, THD #340, Type D with RAP, Price Per Ton											
Lawson 12475-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller		
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County		
Lawson 12476-				Materials	America		James	James		Asphalt		
laydown							Const.	Const.				
Plant	58.00	52.00		Disqualified	Disqualified	Disqualified		44.50				
Plant				from Entire	from Entire	from Entire						
Plant				Bid:	Bid:	Bid:						
Plant to Jobsite-	3.25	3.00		Failed to	Failed to	Failed to		3.00				
1st mile				provide Form	provide Form	provide Form						
Each add'l	0.20	0.20		1295	1295	1295		0.20				
mile												
Laydown	No bid	18.00	20.00				15.00					
Plant Location	Mo City	Rosenberg						Rosenberg				
Minimum		\$5.25 haul					800 tons					
		& 800 tons										

		Hot Mix-	Cold Laid, A	sphaltic Conci	rete Pavement	, Type D, THI) #350, Price	Per Ton		
Lawson 12477-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified		105.00		
Plant to Jobsite-				from Entire	from Entire	from Entire		3.00		
1st mile				Bid:	Bid:	Bid:				
Each add'l				Failed to	Failed to	Failed to		0.20		
mile				provide Form	provide Form	provide Form				
Laydown				1295	1295	1295				
Plant Location								Rosenberg		
Minimum										

			F	Precoated Cove	erstone, PB-3,	Price Per Ton				
Lawson 12478-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 12479-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified		80.00	20.00	
Plant				from Entire	from Entire	from Entire				
Plant to Jobsite-				Bid:	Bid:	Bid:		3.00	0.16	
1st mile				Failed to	Failed to	Failed to				
Each add'l				provide Form	provide Form	provide Form		0.20	0.16	
mile				1295	1295	1295				
Laydown							25.00			
Plant Location			_					Rosenberg	Dabney	_
Minimum							500 tons			

			Prece	oated Coversto	one, PB-4 & Pl	3-5, Price Per	Ton			
Lawson 12480-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 12481-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified		80.00	21.00	
Plant				from Entire	from Entire	from Entire				
Plant to Jobsite-				Bid:	Bid:	Bid:		3.00	0.16	
1st mile				Failed to	Failed to	Failed to				
Each add'l				provide Form	provide Form	provide Form		0.20	0.16	
mile				1295	1295	1295				
Laydown							25.00			
Plant Location								Rosenberg	Dabney	
Minimum							500 tons			

		J	Recycled Asp	ohalt, Screened	l, 3" Diameter	Maximum, Pi	rice Per Ton			
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified				
Plant to Jobsite-				from Entire	from Entire	from Entire				
1st mile				Bid:	Bid:	Bid:				
Each add'l				Failed to	Failed to	Failed to				
mile				provide Form	provide Form	provide Form				
Laydown				1295	1295	1295				
Plant Location										
Minimum										_

	Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton											
	American Materials	Century Asphalt	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Martin Marietta	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials	Waller County Asphalt		
Delivered and				Disqualified:	1	Disqualified:						
applied				See above	See above	See above						

			Pulverizing	g Existing Aspl	halt and/or Ba	se Road , Pric	e Per Foot			
Lawson number beside each item	American Materials	Century Asphalt	Durwood Greene	Gulf Coast Stabilized	Lhoist North	Martin Marietta	Silva	Tarmac Division of	Vulcan Materials	Waller County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Up to 2" Depth			2.50	Disqualified	_	-				
12482				from Entire	from Entire	from Entire				
Up to 4" Depth			3.50	Bid:	Bid:	Bid:	3.00			
12483				Failed to						
Up to 6" Depth			4.50	_	_	provide Form				
12484				1295	1295	1295				
Up to 8" Depth			5.50				5.00			
12485										
Up to 10" Depth			6.50				6.00			
12486										
Up to 12" Depth			7.50	1			7.00			
12487										
Up to 14" Depth			8.50				8.00			
12488										
Pulverizing			5.00				4.50			
existing 12489										
Transported by			50.00				100.00			
FBC 12490										
Transported by			10.00	1			50.00			
Contractors										
vehicles										
12491										

	Field Sand, Price Per Ton													
Lawson 12492-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller				
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County				
				Materials	America		James	James		Asphalt				
							Const.	Const.						
Plant				Disqualified	Disqualified	Disqualified			12.00					
Plant to Jobsite-				from Entire	from Entire	from Entire			3.00					
1st mile				Bid:	Bid:	Bid:								
Each add'l				Failed to	Failed to	Failed to			0.21					
mile				provide Form	provide Form	provide Form								
Plant Location				1295	1295	1295			Simonton					

				Fly A	sh, Price Per	Ton				
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified				
Plant to Jobsite-				from Entire	from Entire	from Entire				`
1st mile				Bid:	Bid:	Bid:				
Each add'l mile				Failed to	Failed to	Failed to				
Plant Location				provide Form	provide Form	provide Form				
Installation				1295	1295	1295				
Minimum										

		Tex	as ASPPM (Grade IV Cold	Mix - Road r	epair material	, Price Per T	'on		
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified				Disqualified:
Delivered to				from Entire	from Entire	from Entire				Vendor did
jobsite				Bid:	Bid:	Bid:				not return
Plant to Jobsite-				Failed to	Failed to	Failed to				addendum.
1st mile				provide Form	provide Form	provide Form				
Each add'l mile				1295	1295	1295				
Laydown										
Plant Location										

	Lime and Lime Slurry - #264, Price Per Ton												
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
	Materials	Asphalt	Greene	Stabilized Materials	North America	Marietta	James	Division of James	Materials	County Asphalt			
				Matchiais	America		Const.	Const.		Aspiiait			
31% Dry Solids													
35% Dry Solids				Disqualified:	Disqualified:	Disqualified:							
46% Dry Solids				See above	See above	See above							

			Fly A	Ash Stabilized	Road Mix 50/	50, Price Per	Гоп			
	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified				
Plant to Jobsite-				from Entire	from Entire	from Entire				
1st mile				Bid:	Bid:	Bid:				
Each add'l mile				Failed to	Failed to	Failed to				
Plant Location				provide Form	provide Form	provide Form				
Installation				1295	1295	1295				

	*Asphalt Aggregate, limestone Type D, 7/16" by #4 Graduation, Price Per Ton												
Lawson 12493	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller			
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County			
				Materials	America		James	James		Asphalt			
							Const.	Const.					
*Plant				Disqualified	Disqualified	Disqualified			*No Bid				
Plant to Jobsite-				from Entire	from Entire	from Entire			No Bid				
1st mile				Bid:	Bid:	Bid:							
Each add'l mile				Failed to	Failed to	Failed to			No Bid				
*Plant Location				provide Form	provide Form	provide Form			*No Bid				
*Comment				1295	1295	1295			*D/F Blend				

	Type C, Ho	t Mix Aspha	altic Concre	te Pavement: T	ГН D #341, Cla	ss A Aggregat	es with PG7	622 Oil, Pric	e Per Ton	
Lawson 12494-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
Lawson 12495-				Materials	America		James	James		Asphalt
laydown							Const.	Const.		
Plant	95.00	72.00		Disqualified	Disqualified	Disqualified		65.00		
Plant to Jobsite-	3.25	3.00		from Entire	from Entire	from Entire		3.00		
1st mile				Bid:	Bid:	Bid:				
Each add'l mile	0.20	0.20		Failed to	Failed to	Failed to		0.20		
Laydown	No bid	18.00	25.00	provide Form	provide Form	provide Form	15.00	Rosenberg		
Plant Location	Mo City	Rosenberg		1295	1295	1295				
Minimum		\$5.25 haul					800 tons			
		& 800 tons								

			623	Traprock, Gra	ade 3, THD #3	02, Price Per T	Гon			
Lawson 12496-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant				Disqualified	Disqualified	Disqualified			45.00	
Plant to Jobsite-				from Entire	from Entire	from Entire			No bid	
1st mile				Bid:	Bid:	Bid:				
Each add'l mile				Failed to	Failed to	Failed to			No bid	
Laydown				provide Form	provide Form	provide Form			No bid	
Plant Location				1295	1295	1295			Stafford	
Minimum										

	623 Traprock, Grade 5, THD #302, Price Per Ton													
Lawson 12497-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller				
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County				
				Materials	America		James	James		Asphalt				
							Const.	Const.						
Plant				Disqualified	Disqualified	Disqualified			45.00					
Plant to Jobsite-				from Entire	from Entire	from Entire			No bid					
1st mile				Bid:	Bid:	Bid:								
Each add'l mile				Failed to	Failed to	Failed to			No bid					
Laydown				provide Form	provide Form	provide Form			No bid					
Plant Location				1295	1295	1295			Stafford					
Minimum														

				Bullrock,	3" x 5", Price	Per Ton				
Lawson 12498-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
Plant	25.00	20.50		Disqualified	Disqualified	Disqualified			37.00	
Plant to Jobsite-	3.25	2.90		from Entire	from Entire	from Entire			5.50	
1st mile				Bid:	Bid:	Bid:				
Each add'l mile	0.20	0.20		Failed to	Failed to	Failed to			0.50	
Laydown	No bid	No bid		provide Form	provide Form	provide Form			No bid	
Plant Location	Mo City	Katy		1295	1295	1295			Stafford	
Installation			20.00						No bid	
Minimum		\$5.00 haul								

*Rip Rap, Grade 1, 12" to 18", Price Per Ton										
Lawson 12499-	American	Century	Durwood	Gulf Coast	Lhoist	Martin	Silva	Tarmac	Vulcan	Waller
material	Materials	Asphalt	Greene	Stabilized	North	Marietta	Division of	Division of	Materials	County
				Materials	America		James	James		Asphalt
							Const.	Const.		
*Plant	*30.00	26.00		Disqualified	Disqualified	Disqualified			57.00	
*Plant to Jobsite-	*3.50	2.90		from Entire	from Entire	from Entire			5.50	
1st mile				Bid:	Bid:	Bid:				
Each add'l mile	0.25	0.20		Failed to	Failed to	Failed to			0.50	
Installation	No bid	No bid	20.00	provide Form	provide Form	provide Form			No bid	
Plant Location	Mo City	Katy		1295	1295	1295			Stafford	
Minimum		\$5.00 haul								
Comment										