Fort Bend County Tabulation Bid 19-032

Term Contract for Purchase and Hauling of Earthen Type Road Materials

Term: April 1, 2019 through March 31, 2020

Awarded 2/26/19: All Bidders meeting Specifications

| | A | sphalt Stabiliz | ed Base, TXD0 | OT 292, Black | Base GR2 wi | thout RAP, Pri | ce Per Ton | | |
|----------------------|-----------|-----------------|---------------|----------------------|-------------|----------------|------------|--------------|-----------|
| Lawson 13708- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group | Construction | County |
| Lawson 13709- | Stafford | Thompsons | Houston | Concrete | Stafford | Richmond | Houston | Materials | Asphalt |
| laydown | | | | Fresno | | | | San Antonio | Hempstead |
| Form 1295 | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Plant/Pit/Siding | 54.00 | | 56.00 | | | 56.00 | | | |
| Plant to Jobsite-1st | 3.25 | | 3.00 | | | 3.00 | | | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | | | 0.20 | | | |
| Laydown | | | 18.00 | | 15.00 | 15.00 | | | |
| Plant Location | Mo City & | | Katy & | | | Rosenberg/ | | | |
| | FM 529 | | Rosenberg | | | Hockley | | | |
| Minimum | | | 5.25 Haul & | | 800 Tons | 800 Tons | | | |
| | | | 800 Tons | | | | | | |

| | | Asphalt Stabil | ized Base, TXI | OOT 292, Blac | k Base GR2 v | vith RAP, Price | Per Ton | | |
|----------------------|-----------|----------------|----------------|---------------|--------------|-----------------|------------|--------------|---------|
| Lawson 13710- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13711- | | | | Concrete | | | | Materials | Asphalt |
| laydown | | | | | | | | | |
| Plant/Pit/Siding | 49.00 | | 50.00 | | | 44.25 | | | |
| Plant to Jobsite-1st | 3.25 | | 3.00 | | | 3.00 | | | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | | | 0.20 | | | |
| Laydown | | | 18.00 | | 15.00 | 15.00 | | | |
| Plant Location | Mo City & | | Katy & | | | Rosenberg/ | | | |
| | FM 529 | | Rosenberg | | | Hockley | | | |
| Minimum | | | 5.25 Haul & | | 800 Tons | 800 Tons | | | _ |
| | | | 800 Tons | | | | | | |

| | Cement Sta | bilized Sand, T | THD & PT #40 | 0.5 Portland C | ement, Type | I, 2 sack minim | um, Price Per | Ton | |
|----------------------|------------|-----------------|--------------|----------------|-------------|-----------------|---------------|--------------|---------|
| Lawson 13712- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| | | | | Concrete | | | | Materials | Asphalt |
| Plant/Pit/Siding | | | | 18.75 | | | | 19.50 | |
| Plant to Jobsite-1st | | | | 1.75 | | | | 3.00 | |
| mile | | | | | | | | | |
| Each add'l mile | | | | 0.20 | | | | 0.21 | |
| Laydown | | | | | | | | | |
| Plant Location | | | | Richmond | | | | Simonton | |
| Per 1/2 sack cement | | | | 2.75 | • | | | | |
| Minimum | | | | 15 Tons | • | | | 24 Tons | |

| Flexible Base, must l | be free of foreig | gn materials (as | sphalt, base, di | rt, wire or any | uncommon | items), Type ''A | '', Grade ''1'', | Crushed Conci | ete, Price Per |
|-----------------------|-------------------|------------------|------------------|-----------------|----------|------------------|------------------|----------------------|----------------|
| Lawson 13713- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13714- | | | | Concrete | | | | Materials | Asphalt |
| laydown | | | | | | | | | |
| Plant/Pit/Siding | 16.50 | | 20.00 | 18.25 | | | | 25.00 | |
| Plant to Jobsite-1st | 3.25 | | 2.90 | 2.60 | | | | 3.00 | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | 0.15 | | | | 0.21 | |
| Laydown | | | | | | | | | |
| Plant Location | Mo City & | | Katy & | Fresno & | | | | Houston Port | |
| | FM 529 | | Rosenberg | Richmond | | | | | |
| Minimum | | | 5.00 Haul | 15 Tons | | | | 24 Tons | |

| Flexible Base, must | Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete with 3% | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|
| Lawson 13715- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | |
| | | | | Concrete | | | | Materials | Asphalt | |
| Plant/Pit/Siding | | | | 31.25 | | | | | | |
| Plant to Jobsite-1st | | | | 1.75 | | | | | | |
| mile | | | | | | | | | | |
| Each add'l mile | | | | 0.20 | | | | | | |
| Laydown | | | | | | | | | | |
| Plant Location | | | | Richmond | | | | | | |
| Minimum | | | | 15 Tons | | | | | | |

| | Gravel, River Unwashed, 5/8" Diameter Maximum, Price Per Yard | | | | | | | | | | |
|----------------------|---|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson 13716- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | 65.00 | 20.00 | | | |
| Plant to Jobsite-1st | | | | | | | | 3.00 | | | |
| mile | | | | | | | | | | | |
| Each add'l mile | | | | | | | | 0.21 | | | |
| Plant Location | | | | | | | Richmond | Simonton | | | |
| Minimum | | | | | | | 4cy | 24 Tons | | | |

| | Hot Mix Aspl | naltic Concrete | Pavement, TX | XDOT 340, Ty | pe D without | RAP, Sac B, PC | G, 64-22, Price | Per Ton | |
|----------------------|--------------|-----------------|--------------|---------------------|--------------|----------------|-----------------|--------------|---------|
| Lawson 13717- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13718- | | | | Concrete | | | | Materials | Asphalt |
| Plant/Pit/Siding | 63.00 | | 62.00 | | | 60.00 | | | |
| Plant to Jobsite-1st | 3.25 | | 3.00 | | | 3.00 | | | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | | | 0.20 | | | |
| Laydown | | | 18.00 | | 15.00 | 15.00 | | | |
| Plant Location | Mo City & | | Katy & | | | Rosenberg/ | | | |
| | FM 529 | | Rosenberg | | | Hockley | | | |
| Minimum | | | 5.25 Haul & | | 800 Tons | 800 Tons | | | |
| | | | 800 Tons | | | | | | |

| | Hot Mix As | phaltic Concre | te Pavement, T | TXDOT 340, T | ype D with R | AP, Sac B, PG, | 64-22, Price P | er Ton | |
|----------------------|------------|----------------|----------------|--------------|--------------|----------------|----------------|--------------|---------|
| Lawson 13719- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13720- | | | | Concrete | | | | Materials | Asphalt |
| laydown | | | | | | | | | |
| Plant/Pit/Siding | 55.00 | | 54.00 | | | 48.50 | | | |
| Plant to Jobsite-1st | 3.25 | | 3.00 | | | 3.00 | | | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | | | 0.20 | | | |
| Laydown | | | 18.00 | | 15.00 | 15.00 | | | |
| Plant Location | Mo City & | | Katy & | | | Rosenberg/ | | | |
| | FM 529 | | Rosenberg | | | Hockley | | | |
| Minimum | | | 5.25 Haul & | | 800 Tons | 800 Tons | | | |
| | | | 800 Tons | | | | | | |

| | Hot Mix-Cold Laid, Asphaltic Concrete Pavement, Type D, TXDOT 350, Price Per Ton | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|-----------------|--|--|
| Lawson -material | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | | Disqualified: | | |
| Plant to Jobsite-1st | | | | | | | | | Did not | | |
| mile | | | | | | | | | provide proof | | |
| Each add'l mile | | | | | | | | | of all required | | |
| Laydown | | | | | | | | | insurance. | | |
| Plant Location | | | | | | | | | | | |
| Minimum | | | | | | | | | | | |

| | | | Precoated | Coverstone, P | B-3, Price Pe | r Ton | | | |
|----------------------|-----------|-----------|-----------|---------------|---------------|--------------|------------|--------------|---------|
| Lawson 13721- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13722- | | | | Concrete | | | | Materials | Asphalt |
| laydown | | | | | | | | | |
| Plant/Pit/Siding | | | | | | 58.00 | | 21.00 | |
| Plant to Jobsite-1st | | | | | | 3.00 | | 3.57 | |
| mile | | | | | | | | | |
| Each add'l mile | | | | | | 0.20 | | 0.16 | |
| Laydown | | | | | | 25.00 | | | |
| Plant Location | | | | | | Rosenberg/ | | Dabney | |
| | | | | | | Hockley | | | |
| Minimum | | | | | | | | 24 Tons | |

| | | | Precoated Cov | verstone, PB-4 | & PB-5, Pric | e Per Ton | | | |
|----------------------|-----------|-----------|---------------|----------------|--------------|--------------|------------|--------------|---------|
| Lawson 13723- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| Lawson 13724- | | | | Concrete | | | | Materials | Asphalt |
| laydown | | | | | | | | | |
| Plant/Pit/Siding | | | | | | 58.00 | | 22.00 | |
| Plant to Jobsite-1st | | | | | | 3.00 | | 3.57 | |
| mile | | | | | | | | | |
| Each add'l mile | | | | | | 0.20 | | 0.16 | |
| Laydown | | | | | | 25.00 | | | |
| Plant Location | | | | | | Rosenberg/ | | Dabney | |
| | | | | | | Hockley | | | |
| Minimum | | | | | | 500 Tons | | 24 Tons | |

| | | Pulvei | rizing Existing | Asphalt and/o | or Base Road | , Price Per Foo | t | | |
|----------------------------------|-------------|-----------|-----------------|---------------------|--------------|-----------------|------------|---------------------------|-------------------|
| Lawson Number | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| under each item | Materials | Resources | Asphalt | Crushed Concrete | Greene | Construction | Group, LLC | Construction Materials | County Asphalt |
| Up to 2" Depth 13725 | | | 2.15 | | 2.25 | 2.50 | | | |
| Up to 4" Depth 13726 | | | 3.15 | | 3.25 | 3.50 | | | |
| Up to 6" Depth 13727 | | | 4.15 | | 4.25 | 4.50 | | | |
| Up to 8" Depth 13728 | | | 5.15 | | 5.25 | 5.50 | | | |
| Up to 10" Depth 13729 | | | 6.15 | | 6.25 | 6.50 | | | |
| Up to 12" Depth 13730 | | | 7.15 | | 7.25 | 7.50 | | | |
| Up to 14" Depth 13731 | | | 8.15 | | 8.25 | 8.50 | | | |
| Pulverizing Existing 13732 | | | 4.15 | | 4.75 | 5.00 | | | |
| Contractor Credit for I | Pulverized: | | | | | | · | <u> </u> | |
| Transported by FBC 13733 | | | 50.00 | | 50.00 | 50.00 | | | |
| Transported by Contractors 13734 | | | 10.00 | | 10.00 | 25.00 | | | |

| | Recycled Asphalt, Screened, 3" Diameter Maximum, Price Per Ton | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson -material | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | | | | |
| Plant to Jobsite-1st | | | | | | | | | | | |
| mile | | | | | | | | | | | |
| Each add'l mile | | | | | | | | | | | |
| Laydown | | | | | | | | | | | |
| Plant Location | | | | | | | | | | | |
| Minimum | | | | | | | | | | | |

| | Field Sand, Price Per Ton | | | | | | | | | | |
|---------------------------|---------------------------|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson 13735- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | 12.00 | | | |
| Plant to Jobsite-1st mile | | | | | | | | 3.00 | | | |
| Each add'l mile | | | | | | | | 0.21 | | | |
| Plant Location | | | | | | | | Simonton | | | |
| Minimum | | | | | | | | 24 Tons | | | |

| | Fly Ash, Price Per Ton | | | | | | | | | | |
|----------------------|------------------------|---------------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson - | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | Disqualified: | | | | | | | | | |
| Plant to Jobsite-1st | | Did not | | | | | | | ` | | |
| mile | | provide proof | | | | | | | | | |
| Each add'l mile | | of required | | | | | | | | | |
| Plant Location | | insurance. | | | | | | | | | |
| Installation | | | | | | | | | | | |
| Minimum | | | | | | | | | | | |

| | Fly Ash Stabilized Road Mix 50/50, Price Per Ton | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson - 13736 | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | 12.00 | | | | | | | | | |
| Plant to Jobsite-1st | | | | | | | | | | | |
| mile | | | | | | | | | | | |
| Each add'l mile | | | | | | | | | | | |
| Plant Location | | | | | | | | | | | |
| Installation | | Thompsons | • | | | | | | | | |
| Minimum | | | • | | | | | | | | |

| | Texas ASPPM Grade IV Cold Mix - Road repair material, Price Per Ton | | | | | | | | | | |
|----------------------|---|-----------|---------|----------|---------|--------------|------------|--------------|---------------|--|--|
| Lawson 13737- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | 46.00 | Disqualified: | | |
| Plant to Jobsite-1st | | | | | | | | 3.57 | Did not | | |
| mile | | | | | | | | | provide proof | | |
| Each add'l mile | | | | | | | | 0.16 | | | |
| Laydown | | | | | | | | | insurance. | | |
| Plant Location | | | | | | | | Dabney | | | |
| Minimum | | | | | | | | 24 Tons | | | |

| | Lime and Lime Slurry - TXDOT 264, Price Per Ton | | | | | | | | | | | |
|--|---|-----------|---------|----------|--------|--------------|------------|--------------|---------|--|--|--|
| Lawson - American Boral Century Cherry Durwood James The LETCO Vulcan Waller | | | | | | | | | Waller | | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | | |
| | | | | Concrete | | | | Materials | Asphalt | | | |
| 31% Dry Solids | | | | | | | | | | | | |
| 35% Dry Solids | | | | | | | | | | | | |
| 46% Dry Solids | | | | | | | | | | | | |

| | Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton | | | | | | | | | | | |
|-----------------------|---|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|--|
| Lawson - | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | | |
| | | | | Concrete | | | | Materials | Asphalt | | | |
| Delivered and applied | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| | Asphalt Aggregate, limestone Type D, 7/16" by #4 Graduation, Price Per Ton | | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|---------------|--------------|---------|--|--|--|
| Lawson 13738 | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | | |
| | | | | Concrete | | | | Materials | Asphalt | | | |
| Plant/Pit/Siding | | | | | | | Disqualified: | 29.50 | | | | |
| Plant to Jobsite-1st | | | | | | | Did not | 3.00 | | | | |
| mile | | | | | | | provide proof | | | | | |
| Each add'l mile | | | | | | | of required | 0.21 | | | | |
| Plant Location | | | | | | | insurance. | Mykawa | | | | |
| Minimum | | | | | | | | 24 Tons | | | | |

| Ty | pe C, Hot Mix | Asphaltic Con | crete Pavemer | nt: TXDOT 34 | 1, Class A Ag | gregates with F | G7622 Oil, Pr | ice Per Ton | |
|----------------------|---------------|---------------|---------------|--------------|---------------|------------------------|---------------|--------------|---------|
| Lawson 13739- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| | | | | Concrete | | | | Materials | Asphalt |
| Plant/Pit/Siding | 70.00 | | 75.00 | | | 75.00 | | | |
| Plant to Jobsite-1st | 3.25 | | 3.00 | | | 3.00 | | | |
| mile | | | | | | | | | |
| Each add'l mile | 0.20 | | 0.20 | | | 0.20 | | | |
| Plant Location | Mo City & | | Katy & | | | Rosenberg/ | | | |
| | FM 529 | | Rosenberg | | | Hockley | | | |
| Minimum | | | 5.25 Haul | | | | | | |

| | 623 Traprock, Grade 3, THD #302, Price Per Ton | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson 13740- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | 45.00 | | | |
| Plant to Jobsite-1st | | | | | | | | 3.00 | | | |
| mile | | | | | | | | | | | |
| Each add'l mile | | | | | | | | 0.21 | | | |
| Plant Location | | | | | | | | Fort Bend | | | |
| Minimum | | | | | | | | 24 Tons | | | |

| | 623 Traprock, Grade 5, THD #302, Price Per Ton | | | | | | | | | | |
|----------------------|--|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|--|
| Lawson 13741- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | | |
| | | | | Concrete | | | | Materials | Asphalt | | |
| Plant/Pit/Siding | | | | | | | | 45.00 | | | |
| Plant to Jobsite-1st | | | | | | | | 3.00 | | | |
| mile | | | | | | | | | | | |
| Each add'l mile | | | | | | | | 0.21 | | | |
| Plant Location | | | | | | | | Fort Bend | | | |
| Minimum | | | | | | | | 24 Tons | | | |

| | | | Bullı | rock, 3" x 5", I | Price Per Ton | l | | | |
|---------------------------|-----------|-----------|-----------|-------------------|---------------|--------------|------------|--------------|---------|
| Lawson 13742- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County |
| | | | | Concrete | | | | Materials | Asphalt |
| Plant/Pit/Siding | | | 26.00 | 26.50 | | | 49.00 | 39.00 | |
| Plant to Jobsite-1st mile | | | 2.90 | 2.60 | | | | 3.00 | |
| Each add'l mile | | | 0.20 | 0.15 | | | | 0.21 | |
| Plant Location | | | Katy | Fresno & Richmond | | | | Mykawa | |
| Installation | | | | | 20.00 | | | | |
| Minimum | | | 5.00 Haul | 15 Tons | | | 6 Tons | 24 Tons | |

Fort Bend County Bid 19-032

| Rip Rap, Grade 1, 12" to 18", Price Per Ton | | | | | | | | | | |
|---|-----------|-----------|-----------|----------|---------|--------------|------------|--------------|---------|--|
| Lawson 13743- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | |
| | | | | Concrete | | | | Materials | Asphalt | |
| Plant/Pit/Siding | | | 40.00 | 43.00 | | | | 65.00 | | |
| Plant to Jobsite-1st | | | 2.90 | 3.60 | | | | 3.00 | | |
| mile | | | | | | | | | | |
| Each add'l mile | | | 0.20 | 0.15 | | | | 0.21 | | |
| Plant Location | | | Katy | Fresno & | | | | Mykawa | | |
| | | | | Richmond | | | | | | |
| Minimum | | | 5.00 Haul | 15 Tons | | | | 24 Tons | | |

| Screened Decomposed Granite Gravel 3/4-, Price Per Ton | | | | | | | | | | |
|--|-----------|-----------|---------|----------|---------|--------------|------------|--------------|---------|--|
| Lawson 13744- | American | Boral | Century | Cherry | Durwood | James | The LETCO | Vulcan | Waller | |
| material | Materials | Resources | Asphalt | Crushed | Greene | Construction | Group, LLC | Construction | County | |
| | | | | Concrete | | | | Materials | Asphalt | |
| Plant/Pit/Siding | | | | | | | 49.00 | | | |
| Plant to Jobsite-1st | | | | | | | | | | |
| mile | | | | | | | | | | |
| Each add'l mile | | | | | | | | | | |
| Plant Location | | | | | | | Richmond | | | |
| Minimum | | | | | | | 6 Tons | | | |